

HISTORIC AMERICAN BUILDINGS SURVEY

HAER
CONN
5-NEWHA,
54-

INDEX TO PHOTOGRAPHS

TOMLINSON BRIDGE

HAER No. CT-61

(State Bridge No. 00337)

Spanning the Quinnipiac River at Forbes Street (U.S. Route 1)

New Haven

New Haven County

Connecticut

Photographer: (All views unless noted) Robert C. Moore October 1993

(Views 47, 48, 49) Photographer Unknown 1956

- CT-61-1 VIEW EAST, SOUTHWEST ELEVATION
- CT-61-2 VIEW EAST, SOUTHWEST ELEVATION
- CT-61-3 VIEW NORTH, BRIDGE CLOSED
- CT-61-4 VIEW NORTH, BRIDGE PARTIALLY RAISED
- CT-61-5 VIEW NORTH, BRIDGE OPEN
- CT-61-6 VIEW NORTHWEST, EASTERN APPROACH, BRIDGE PARTIALLY OPEN
- CT-61-7 VIEW NORTHWEST, SHOWING 390 FOOT FILL SECTION
- CT-61-8 VIEW WEST, SHOWING THREE FIXED SPANS
- CT-61-9 VIEW NORTH, WESTERN FIXED SECTIONS OF BRIDGE
- CT-61-10 VIEW EAST, EASTERN FIXED SECTIONS OF BRIDGE
- CT-61-11 VIEW SOUTHEAST, WESTERN APPROACH
- CT-61-12 VIEW NORTHWEST, EASTERN APPROACH
- CT-61-13 VIEW WEST, CONTROL HOUSE - BUILT CIRCA 1976
- CT-61-14 VIEW NORTH OF 1976 CONTROL HOUSE AND WESTERN LEAF IN CLOSED POSITION
- CT-61-15 VIEW SOUTH, STOREHOUSE ON EAST ABUTMENT, DETAIL OF CYMA ROOF
- CT-61-16 VIEW WEST, STOREHOUSE ON EAST ABUTMENT
- CT-61-17 TYPICAL ABUTMENT
- CT-61-18 DECORATIVE ARCH FRAMING COMMEMORATIVE PLATE
- CT-61-19 DETAIL OF TYPICAL BALUSTRADE

Tomlinson Bridge
(State Bridge No. 00337)
HAER NO. CT-61 (page 2)


- CT-61-20 VIEW EAST, UNDERSIDE OF BASCULE LEAF SHOWING STRUCTURAL MEMBERS AND BASCULE GIRDERS WITH RACK GEAR SECTION
- CT-61-21 VIEW EAST, UNDERSIDE OF BASCULE LEAF SHOWING STRUCTURAL MEMBERS AND BASCULE GIRDERS WITH RACK GEAR SECTION
- CT-61-22 VIEW SOUTHEAST FROM CONTROL ROOM, NOTE STOREHOUSE ON EASTERN ABUTMENT
- CT-61-23 VIEW NORTHEAST, CONTROL PANEL FOR CONTROLLING BRIDGE OPERATION
- CT-61-24 VIEW EAST SHOWING BASCULE GIRDERS 'A', 'B', 'C' AND 'D'; DRIVE GEAR 'D' WITH GUARD IS LOCATED IN THE LOWER CENTER OF THE PHOTOGRAPH. REFER TO GEARING DIAGRAMS - STRAUSS SHEET #15 FOR POWER TRAIN RELATIONSHIPS
- CT-61-25 VIEW WEST SHOWING BASCULE GIRDERS 'A', 'B', 'C' AND 'D'; DRIVE GEAR 'D' WITH GUARD IS LOCATED IN THE LOWER CENTER OF THE PHOTOGRAPH. REFER TO GEARING DIAGRAMS - STRAUSS SHEET #15 FOR POWER TRAIN RELATIONSHIPS
- CT-61-26 VIEW WEST, SHOWING 1976 CONTROL HOUSE AND LEAF IN FULLY RAISED POSITION.
- CT-61-27 VIEW NORTHEAST, EAST ABUTMENT SHOWING DRIVE GEAR 'D' IN LOWER CENTER OF PHOTOGRAPH AND RACKS ON CENTER BASCULE GIRDERS 'B' AND 'C' AT LEFT CENTER
- CT-61-28 VIEW SOUTHWEST, EAST ABUTMENT SHOWING BASCULE LEAF IN RAISED POSITION WITH THE EXTREME UPPER PORTION OF THE BASCULE RACK GEAR SHOWING IN THE LOWER RIGHT PORTION OF THE PHOTOGRAPH
- CT-61-29 VIEW NORTHWEST OF RACK GEARS ON BASCULE GIRDERS 'B' AND 'C'
- CT-61-30 VIEW NORTHEAST OF OPERATING MACHINERY. BASCULE LEAF IN CLOSED POSITION - DRIVE GEAR 'D' IS AT CENTER OF PHOTOGRAPH. NOTE VERNACULAR WEIGHT SUSPENDED ON COUNTERWEIGHT AT TOP LEFT OF PHOTOGRAPH TO COMPENSATE FOR AN UNDERWEIGHT COUNTERWEIGHT
- CT-61-31 VIEW NORTHEAST OF OPERATING MACHINERY. GEAR 'C5' IS AT LOWER LEFT AND EMERGENCY BRAKE MECHANISM ON PEDESTAL AT CENTER. NOTE LOWER EQUALIZING LINKAGE FOR COUNTERWEIGHT AT LEFT CENTER OF PHOTOGRAPH - THIS WAS A KEY COMPONENT OF STRAUSS' PATENT PARALLOGRAM LINKAGE

- CT-61-32 VIEW NORTHEAST OF OPERATING MACHINERY. GEAR 'D' IS AT CENTER OF PHOTOGRAPH, EMERGENCY BRAKE ON THE PEDESTAL TO THE LEFT OF CENTER
- CT-61-33 EAST ABUTMENT, VIEW NORTHEAST OF OPERATING MACHINERY - SMALL GEAR IS IDENTIFIED AS 'C' - LARGE GEAR IS 'B' REFER TO GEARING DIAGRAMS - STRAUSS SHEET #15 FOR POWER TRAIN RELATIONSHIPS
- CT-61-34 VIEW SOUTHEAST, WEST ABUTMENT OF OPERATING MACHINERY - LARGE GEAR AT LEFT CENTER IS 'D' - REFER TO STRAUSS SHEETS #15 AND #18 FOR POWER TRAIN RELATIONSHIPS
- CT-61-35 VIEW SOUTHEAST, WEST ABUTMENT OF OPERATING MACHINERY - BASCULE LEAF RAISED - LARGE GEAR AT LEFT CENTER IS 'D' - REFER TO STRAUSS SHEETS #15 AND #18 FOR POWER TRAIN RELATIONSHIPS
- CT-61-36 WEST SIDE GEARMOTOR WITH CHAIN DRIVE - ORIGINAL INSTALLATION DID NOT USE CHAIN DRIVE
- CT-61-37 VIEW OF TOP AND FRONT SIDE OF EAST SIDE COUNTERWEIGHT - BASCULE IS IN RAISED POSITION - NOTE 'POCKETS' IN COUNTERWEIGHT TO ALLOW FOR WEIGHT ADJUSTMENT - NOTE RECESS ON TOP OF COUNTERWEIGHT - THIS ALLOWED THE POSITIONING OF THE WEIGHT UNDER THE DECK, BETWEEN THE GIRDERS - GEAR 'D' IS AT RIGHT CENTER OF PHOTOGRAPH
- CT-61-38 VIEW EAST, WEST ABUTMENT, SOUTH SIDE - VIEW OF RACK GEAR ON BASCULE GIRDER 'D' - NOTE COUNTERWEIGHT AND COUNTERWEIGHT LINK AT UPPER LEFT OF PHOTOGRAPH
- CT-61-39 VIEW EAST INSIDE WEST COUNTERWEIGHT PIT - GEAR 'D' IS AT CENTER OF PHOTOGRAPH - BOTTOM OF COUNTERWEIGHT IS AT TOP RIGHT OF PHOTOGRAPH
- CT-61-40 VIEW OF A WEST SIDE COUNTERBALANCE - BASCULE IS IN CLOSED POSITION; COUNTERWEIGHT AT TOP OF PIT - NOTE VERNACULAR WEIGHTS HUNG ON COUNTERWEIGHT TO INCREASE WEIGHT
- CT-61-41 VIEW OF WEST BASCULE LEAF LOCKING PINS IN EXTENDED POSITION - PINS FIT INTO MATCHING BUSHINGS ON THE EAST LEAF AND SECURE THE EAST AND WEST SECTIONS WHEN THE BRIDGE IS DOWN.
- CT-61-42 VIEW LOOKING WEST AT RAIL AND BASCULE DECK SECTION.
- CT-61-43 OBLIQUE VIEW OF RAILS AND BASCULE DECK SECTION AT BREAK BETWEEN EAST AND WEST LEAFS.

Tomlinson Bridge
(State Bridge No. 00337)
HAER NO. CT-61 (page 4)

- CT-61-44 VIEW OF BRONZE DEDICATION PLAQUE LOCATED ON STOREHOUSE,
EAST ABUTMENT
- CT-61-45 VIEW OF BRONZE BUILDERS PLATE LOCATED ON NORTH SIDE AT
OUTERMOST END OF WESTERN APPROACH WALL
- CT-61-46 VIEW OF BRONZE ENGINEERS/INSPECTORS PLAQUE LOCATED ON
SOUTH SIDE OF WESTERN APPROACH WALL

Key to Photographs
 Tomlinson Bridge
 (State Bridge No. 00337)
 HAER NO. CT-61 (page X)
 S



Key to Photographs
Tomlinson Bridge
(State Bridge No. 00337)
HAER NO. CT-61 (page 9)
6

